

BODY LINE

Inspiring Fitness

Corporate & Head Office

14-D Ballygunge Circular Road (opp. AAEI) Kolkata 700 019

Contact: 83350 68089 / 033 4064 8222

Bhubaneswar Office:

501 Kharvela Nagar (1st floor), Janpath, Bhubaneswar 751 001

Contact: 98308 00698 | 0674 2380824 / 0674 2380925

E mail: bodylinesports@gmail.com | Website: bodylinesports.co.in



SCANDINAVIAN DESIGN




PROFESSIONAL RANGE 2024














(







THE W1 MARKED THE START OF THE FITNESS MARKET AS WE KNOW IT TODAY








MEET THE COMPANY BEHIND THE BRAND

HOW WE HELP PEOPLE FEEL BETTER EVERY DAY?
IT'S MORE THAN JUST PRODUCTS



A TEAM OF 50 PASSIONATE PEOPLE WORK IN OUR HQ IN ALMERE

WE HELP PEOPLE FEEL BETTER EVERY DAY.
THAT IS WHAT DRIVES US.



WE HAVE ALWAYS REMAINED LOYAL TO OUR ORIGINS, OUR UNIQUE DNA: THE SCANDINAVIAN TOUCH IS DEEPLY WOVEN IN OUR PRODUCT DESIGNS.

UNIQUE, COMPACT, PRACTICAL AND WITH A DISTINGUISHABLE EYE FOR DETAILS.

THIS IS PRECISELY HOW WE APPROACH OUR WORK
WITH AN ADDED TOUCH OF DUTCH:
DOWN-TO-EARTH AND A PRAGMATIC APPROACH.

WE ARE PROUD OF OUR OPEN CULTURE **EVERY COLLEGUE AND EVERY PARTNER IS** PART OF ONE TUNTURI FAMILY

WE HAVE PARTNERS IN OVER 50 COUNTRIES

FROM THE US TO AUSTRALIA,
WITH A STRONG MARKET POSITION IN EUROPE

AND WE TAKE OUR SOCIAL RESPONSIBILITY WE YEARLY DONATE A PART OF OUR PROCEEDS TO THE FITKIDS FOUNDATION fitkids

OUR PRODUCTS



TIMES, CIRCUMSTANCES AND PEOPLE CHANGE AND SO DOES THE JOURNEY TOWARDS A HEALTHY LIFESTYLE. THEREFORE, OUR PRODUCT PORTFOLIO NEVER STOPS EVOLVING.






NOT JUST ON THE PRODUCT, BUT ALSO ON SPECIFIC PARTS LIKE FRAMES AND DRIVE MOTORS


SPARRING PARTNER

WE ARE STRONG IN CREATING AND MAINTAINING LONG-TERM RELATIONSHIPS









ENDURANCE

TREADMILL



TUNTURI ENDURANCE




EXTRA HEAVY DUTY STEEL BASE THAT CAN WITHSTAND 200 KG USER WEIGHT

TREADMILL-INTERACTIVE

21.5" CAPACITIVE TOUCH SCREEN.






DIRECT SPEED & INCLINE KEYS ON THE CONSOLE

TREADMILL



SCANDINAVIAN + DESIGN



EXTRA HEAVY DUTY STEEL BASE THAT CAN WITHSTAND 180 KG USER WEIGHT

-3% DECLINE TO 15% INCLINE

TR-20

TREADMILL









BLUETOOTH LED/LCD MONITOR

10 inch LED/LCD backlight color display with control buttons for speed and incline and an overview of all parameters. Time, heart rate, calories and speed are not blocked from sight when a tablet is placed.

TR-10

CURVE TREADMILL









10 inch LED/LCD backlight color display with control buttons for speed and incline and an overview of all parameters. Time, heart rate, calories and speed are not blocked from sight when a tablet is placed.

GLIDER


ELLIPTICAL TRAINER

Multi grip ergo handles provide users of varying heights difference workout experiences. Easy to service shroud design allows for convenient maintenance. Flywheel 242 mm (14.5 kg) TUNTURI GLIDER Over sized pedals with narrow spacing design to create relatively high strength & slide prevention. 510 mm stride

Most advanced hi-tech led screen,
Programs: Preset Program X 6,
HRCX 6, Test X 2, Manual X 1, Goal X 3 & Watt X 1



40 resistence level







UPRIGHT BIKE

SPIN BIKE





Features

Chrome plated 2-stage fixed-bar with brands new ergonomic design.
All new aluminum alloy adjustable stems and sliders that avoids rust problem.
Micro-adjustable handlebar and saddle.
High rigidity 3 pieces crank.



Console Display

RPM Speed Time Distance Calories



Friction resistance system

Transmission

4PK Hutchinson Poly-V belt driven system

Flywheel

18 kgs / 40 lbs

EXPLORER

AIR ROWER

GLADIATOR





HELIX

LATERAL TRAINER

By training **more** muscle groups & creating **greater** activation within those muscles, Helix® burns **more fat** and delivers **faster results** in less time than any other cardio trainer, making it the world's most effective workout.

But lateral training has major benefits beyond fitness as well. As the only cardio trainer that works the body in **all 3 dimensions of human motion**, lateral trainers have been clinically shown to reduce knee & hip pain due to arthritis, injury or joint replacement surgeries.* They are also effective at

Eco friendly &

ideal for small

spaces:

reducing age-related fall risk, having been clinically shown to improve strengthrelated balance by an average 59%.***

related balance by an average 59%.***

Because of these competitive advantages,
Helix® trainers are used by

some of the world's most elite pro
athletes, such as the Los Angeles Lakers
the New England Patriots & the Cleveland
Cavaliers, yet their therapeutic applications make
them equally well suited for injury rehab and
prevention for those in search of "active aging."

Cardio that delivers strength training caliber results

Improves joint health over time

Used by PTs to rehab bad knees





FEATURES

- Resistance Levels:
 8 manually controlled
- Computer Display: LCD
- Feedback: Real time calories, RPM, pulse, activity, METS, watts and time
- Resistence Method: ECB Flywheel
- Maximum User Weight: 150 kg





Bi-directional to shift workout focus. Pedal in for extra focus on inner thighs & glutes, pedal out for extra focus on outer thighs, glutes & hips.

TUNTUR!® SCANDINAVIAN # DESIGN

TRAIN WHERE YOU FEE

SUBLIME SERIES

Aircraft spec 5mm American LOOS cable with 4,200 lbs breaking strength. All fittings tested for 300,000 cycles using full weight stack.

Strong ABS shroud for maximum safety and super stylish look.

Unique tube size of RT40*118*3 RT50*100*2.5 YD72.8*141.7*3

Pu moulded seats and long lasting upholstery

Multi handle grips for various workout requirements

Tubing thickness range from 2.5mm to 3mm. Electro-welded construction for maximum strength and stability

Pulley size of φ114 makes the movement of cable very smooth.

SL-9501 CHEST PRESS

SL-9502 DIVERGING LAT PULLDOWN

Pre-stretch allows easy entry and exit, and increase the range of motion

The 3-bar linkage structure offers smooth, convenient adjustment

Multi-position handle bars allow variety workout

Double parallel grips replicates chest fly movement effectively

WEIGHT STACK: 235 LBS

LXWXH: 155.2X123.1X150.3 CM

Uniaxial structural movement ensures complete & efficient muscle workout.

Aluminum casting handles stand for the premium positioning.

Adjustable foam roller offers supports during workout for users at various height.

WEIGHT STACK: 235 LBS

LXWXH: 130.5X122.4X109 CM







SL-9503 ARM CURL

SL-9505 LEG EXTENSION



User-friendly design allows easy entry and exit.

Independent arm motion structure allows exercise simultaneously or alternately.

WEIGHT STACK: 200 LBS

LXWXH: 112.2X158.3X156.3 CM

Back support pad allows one-hand adjustment. Under thigh support designed to offers comfort and reduces stress on hamstrings during workout

Adjustable foam roller and back support pad allows users at different height for a desired position

Pivot mark in yellow allows users to determine correct position for knees

WEIGHT STACK: 200 LBS

LXWXH: 140.1X122.7X156.3 CM









SL-9506 SEATED LEG CURL

SL-9508 ABDUCTUR / ADDUCTOR



Adjustable foam roller is deisgned to adapt the natural movement required by various users

Back pad support is adjustable in a sitting position

Pivot mark in yellow allows users to determine correct position for knees

WEIGHT STACK: 200 LBS

LXWXH: 149.5X127.5X156.3 CM

SERTED LEG CURL

Dual station designed to train outer and inner thigh muscles

User-friendly design allows easy entry and exit. Weight stack in front is for privacy purpose.

The double foot platform accommodates various users

Large size pads insure comfortable support for various users

Easily adjustable starting position offers wide range of motion

WEIGHT STACK: 200 LBS

LXWXH: 78.4X163.6X156.3 CM





SL-9509 TOTAL HIP

SL-9510 LEG PRESS / CALF RAISE



Adjustable foam roller provide a personalized fit for isolateral training


Various workout for hip

Handle bars on sides provide user stabilization and support

Adjustable platform suitable for various users

WEIGHT STACK: 200 LBS


LXWXH: 97.2X138.1X156.4 CM




Foot platform and handle bar for easy entry and exit

Adjustable sliding rack accommodates various users for a ideal range of motion

Foot plate angled at unique 4° recline to save ankles and knees from injury









SL-9512 SHOULDER PRESS

SL-9515 PEC FLY / REAR DELT



Independent converging movement offers natural and ergonomic workout

Counter weight enables user to start easily

Multiple grips allow to target front and middle deltoids effectively

WEIGHT STACK: 235 LBS

LXWXH: 155X149X156.4 CM

Dual station designed to train chest and rear deltoid muscles.

Option of multiple starting positions to meet various users training requirement

Variable circular motion can be achived as required by various users

WEIGHT STACK: 200 LBS

LXWXH: 149.7X162.9X204.8 CM







\$ - - - 65

SL-9516 STANDING CALF RAISE

SL-9517 SEATED DIP



To train calf muscles in standing position, provide a better training effect by combining user self-weight

Adjustable starting position enables user get into the machine in standing position without the need to bend down

Contured shoulder pads are designed to give comfortable experence

Anti-slip footrests provide comfort and safety

WEIGHT STACK: 235 LBS

LXWXH: 119.2X119.7X175 CM

STANDING CALF RAISE

Rotating handles accommodate various users

Angled back support improves stability and comfort

WEIGHT STACK: 200 LBS

LXWXH: 142.8X130X156.4 CM





SL-9519 VERTICAL ROW

SL-9520 WEIGHT ASSISTED CHIN / DIP COMBO

Independent arm movement allows isolation of back muscles separately

Foot pedals are positioned to give comfortable posture for various user

Uniquely designed handle grips provide are firm and solid grip

WEIGHT STACK: 235 LBS

LXWXH: 198.4X112.9X156.3 CM

Dual station designed to give isolation to your complete upper back with weight assisted support

Multi-positional hand grips enables various users to perform triceps and chest dips effectively

WEIGHT STACK: 200 LBS

LXWXH: 139.4X160.8X228.5 CM








SL-9521 PRONE LEG CURL

SL-9522 LAT PULLOOWN / SEATED ROW



Pivot mark in yellow allows users to get correct exercise position.

WEIGHT STACK: 200 LBS

LXWXH: 118.5X144.3X156.3 CM

Dual station designed to give training of vertical row and lat pulldown

Adjustable knee rollers suitable for various users

Large size foot plates for added comfort


Comes with two handles for variation

WEIGHT STACK: 295 LBS

LXWXH: 122.3X193.6X223.1 CM









SL-9524 LATERAL RAISE

Natural movement of rotating hand grips adapts to different size users

The Large arm pads for increased support

WEIGHT STACK: 200 LBS

LXWXH: 109.8X128.4X156.4 CM





SL-9525 ADJUSTABLE HI / LO PULLEY


Multiple training unit for working out upper and lower limbs comprehensively.

Compatible to attach with SL9527 four station and make it 5 station cable jungle with cable crossover

WEIGHT STACK: 295 LBS

LXWXH: 148.2X118.7X235.6 CM





SL-9527 JUNGLE MULTI GYM

Unique combination of 4 to be must stations in every facility.

Lat pulldown, Long pull, Pec fly / Rear delt & Hi - Lo pulley would cater to most of the upper body exercises

Compatible to attach with SL9525 hi-lo pulley and make it 5 station cable jungle with cable crossover

WEIGHT STACK: 235 X 4 LBS

LXWXH: 348.8X264.6X235 CM





CONNECTOR

Robust & strong built with multiple chin up handles

SL-9525+SL95270PT+SL9527 5 STATION CABLE CROSS OVER



WEIGHT STACK: 235 X 4 LBS

WEIGHT STACK: 295 LBS

SL-9528 LEG EXT / LEG CURL

Dual station designed to give movements of leg curl and leg extension.

Back pad could be easily adjusted.


Pivot mark in yellow allows users to determine correct position for knees

WEIGHT STACK: 200 LBS

LXWXH: 135.1X131.9X156.3 CM








Dual hand gripes accommodate different size users

WEIGHT STACK: 235 LBS

LXWXH: 182.7X147.7X167.2 CM





SL-9530 DUAL ADJUSTABLE PULLEY

Dual adjustable pulleys are designed to give the possibility of performing three dozen exercises.

Ergonomically designed multiple chin up handles

Comes with standard pack of six various accessories

WEIGHT STACK: 200 X 2 LBS

LXWXH: 159.8X128.4X229.1 CM





SL-9534 ABDOMINAL / BACK EXTENSION

Dual station designed to train abdominal and lower back muscles

Double position foot pedals to accommodate various size users

Angled back support to save lower back from injuries

WEIGHT STACK: 235 LBS

LXWXH: 111.2X126.4X156.7 CM





STERLING SERIES


Easy to use, neat appearance, the SL line is a high quality commercial plate loaded series. The user-friendly design makes working out more simple, efficient, comfortable and satisfying.

Tubing: thickness range from 2.5 mm to 3mm, 50mmx100mm tubing, electro-welded to maximum integrity.

Color: black and red (Other colors are optional based on customer requirements)

Finish: Electrostatic powder-coated and heat cured after adhesiveness enhancement pre-treatment for superior durability





Easy-to-use, flexible adjustments allow for optimal exercise positions.













SL7001 CHEST PRESS

- LXWXH: 193.7X137X171 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs







- LXWXH: 155.8X181.8X148.7 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs

SL7002 PULL DOWN

- LXWXH: 148.2X148.9X196.7 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs





SL7004 LOW ROW

- LXWXH: 176.1X148.7X165.2 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs.

SL7005 INCLINE CHEST PRESS

SL7006 LEG PRESS

SL7009 OLYMPIC POWER RACK

SL7010 PLATE RACK

- LXWXH: 190X152.3X177.9 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs.







LXWXH: 181.5X150X133.4 CM.MAX WEIGHT CAPACITY:300Kg/660Lbs.

 LXWXH: 222.6X142.1X141.9 CM. MAX WEIGHT CAPACITY:400Kg/880Lbs.





SL7008 REAR KICK

LXWXH: 168X122.9X163.6 CM.MAX WEIGHT CAPACITY:150Kg/330Lbs.

• LXWXH: 203X145X228 CM







LXWXH: 135X67X135 CM.









SL7013 GLUTE HAM BENCH

SL7014 HALF RACK

SL7018 ARM CURL

SL7019 INCLINE ROW

• LXWXH: 156X91X147 CM.







• LXWXH: 139X175X244 CM.







• LXWXH: 114X86X102 CM







- LXWXH: 196 X 102 X 125.3 (CM)
 Maximum Weight Capacity: 150kg / 330 LBS



SL7021
HACK SQUAT

• LXWXH:220.5x188x128.5 CM

• MAX WEIGHT CAPACITY:400Kg/880Lbs

SL7022 UTILITY BENCH

SL7023 BICEP CURL

SL7026 STANDING LEG CURL

SL7027 BARBELL RACK

- LXWXH: 119.1X63X82.2 CM.



- SL7024 TRICEP DIP
- LXWXH: 173.3X158X120.2 CM.
 MAX WEIGHT CAPACITY: 300 KG/660 LBS

LXWXH: 152.4X108.8X116.9 CM.MAX WEIGHT CAPACITY:300Kg/660Lbs.





- SL7025 LEG EXTENSION
- LXWXH: 127X169X100.5 CM.
 MAX WEIGHT CAPACITY: 300 KG/660 LBS

- LXWXH: 140.3X104.5X120 CM
- MAX WEIGHT CAPACITY: 120 KG/264 LBS





- SL7028 FLAT BENCH PRESS
- LXWXH: 191X173.8X131.5 CM

• LXWXH: 95X91X161.2 CM





SL7029 INCLINE BENCH PRESS

LXWXH: 205.9X173.8X149.6 CM

SL7030 DECLINE BENCH PRESS

SL7031 SHOULDER BENCH PRESS

SL7035 FLAT BENCH

SL7036 ABDOMINAL

LXWXH: 218.8X173.8X131.5 CM





- SL7032 STANDING CALF RAISE
- LXWXH: 161.5X137.5X173 CM
 MAX WEIGHT CAPACITY: 300 KG/660 LBS

LXWXH: 171.9X126.1X192 CM





- SL7034 SQUAT
- LXWXH: 226X126X180 CM
 MAX WEIGHT CAPACITY: 400 KG/880 LBS

- LXWXH: 226X126X180 CM
- MAX WEIGHT CAPACITY: 400 KG/880 LBS





- SL7041 SUPER OLYMPIC BENCH
- LXWXH: 191X173.8X131.5 CM

• LXWXH: 140X104.5X173 CM • MAX WEIGHT CAPACITY: 300 KG/660 LBS



- SL7043 MULTI AB BENCH
- LXWXH: 172X63X91 CM

SL7042 MAGIC RACK / SMITH MACHINE

SL7046 ISO-LATERAL SUPER CHEST PRESS

TUNTUR® PROFESSIONAL

LXWXH: 232X224X239 CM



SL7044 STRETCH MACHINE

LXWXH: 157X63X126 CM

• LXWXH : 250X174X162 CM





SL7045
VERTICAL KNEE RAISE / DIP STAND

LXWXH: 119X77X136 CM



SL7047 HYPER EXTENSION BENCH

LXWXH: 134X95X77 CM

WEIGHT PLATES

Made with high quality thermoplastic polyurethane (TPU) resistant to oil, grease & abrasion. With high shear strength for long lasting usage

AVAILABLE SIZES IN KGS:

1.25 2.5 5 7.5 10 15 20 25



DUMBBELLS

Made with high quality thermoplastic polyurethane (TPU) resistant to oil, grease & abrasion. With high shear strength for long lasting usage

Knurled bar for solid grip and feel

AVAILABLE SIZES IN KGS:

2.5 5 7.5 10 12.5 15 17.5 20 22.5 25 30 35 40 45 50



COMPETITION BUMPER PLATES

Made of hard-wearing virgin rubber fitted with galvanised steel fixed hub

AVAILABLE SIZES IN KGS:

5 10 15 20 25

